

known range ca. 23 km N from Parque Nacional Lagunas de Zempoala, Huitzilac, Morelos (Smith 1942. Proc. U.S. Nat. Mus. 92:349–395). The specimen was under a rock in fir forest. Field work funded by “Manejo de Ecosistemas y Desarrollo Humano” UNAM (SDEI-PTID-02).

Submitted by **ANDRÉS ALBERTO MENDOZA-HERNÁNDEZ** (e-mail: andalmeher@yahoo.com), **URI OMAR GARCÍA-VÁZQUEZ** (e-mail: urigarci@hotmail.com), and **ADRIÁN NIETO-MONTES DE OCA**, Museo de Zoología, Facultad de Ciencias, Universidad Nacional Autónoma de México, Apartado Postal 70-399, México, Distrito Federal 04510, México.

SQUAMATA – SNAKES

AGKISTRODON CONTORTRIX CONTORTRIX (Southern Copperhead). USA: ARKANSAS: SEARCY Co.: ca. 0.5 km E of jct AR 14 and Searcy Co. Rd. 61 (36.0153°N, 92.3231°W; NAD 83). 11 August 2008. M. B. Connior. Verified by S. E. Trauth. Arkansas State University Museum of Zoology Herpetology Collection (ASUMZ 31240). Adult found DOR on Searcy Co. Rd. 61. First county record (Trauth et al. 2004. The Amphibians and Reptiles of Arkansas. University of Arkansas Press, Fayetteville. 421 pp.).

Submitted by **MATTHEW B. CONNIOR**, Department of Biological Sciences, Arkansas State University, P.O. Box 599, State University, Arkansas 72467, USA; e-mail: matthew.connior@smail.astate.edu.

CLONOPHIS KIRTLANDII (Kirtland’s Snake) USA: INDIANA: HENDRICKS Co.: 39.67542°N, 86.34102°W. 02 August 2004. B. Jagger Foster and the Indianapolis Airport Authority Bat Crew. ISUVC 3893. Verified by Dale W. Sparks. New county record (Minton 2001. Amphibians and Reptiles of Indiana. Second Ed. Indiana Acad. Sci. 404 pp.)

Submitted by **B. JAGGER FOSTER**, Indiana State University, Biology Department, 600 North 6th St. Terre Haute, Indiana 47809-1905, USA.

COLUBER CONSTRICTOR FLAVIVENTRIS (Eastern Yellow-bellied Racer). USA: TEXAS: McMULLEN Co.: Hwy 72, 6 km E of jct with Hwy 16 (28.46025°N, 098.49085°W; WGS 84). 28 June 2008. Vincent Farallo, Romey Swanson, Jeff Troy, and Glen Hood. Verified by James R. Dixon, Texas Cooperative Wildlife Collection (TCWC 93076). The snake was found crossing the road at ca. 0100 h and represents the first recorded specimen for McMullen County (Dixon 2000. Amphibians and Reptiles of Texas: with Keys, Taxonomic Synopses, Bibliography, and Distribution Maps. Texas A&M University Press, College Station, Texas. 421 pp.).

Submitted by **VINCENT R. FARALLO** (e-mail: VF1030@txstate.edu), **ROMEY L. SWANSON**, **JEFF R. TROY**, **GLEN R. HOOD**, and **MICHAEL R.J. FORSTNER**, Department of Biology, Texas State University, San Marcos, Texas 78666, USA.

COLUBER CONSTRICTOR LATRUNCULUS (Black-masked Racer). USA: TENNESSEE: FAYETTE Co.: Wolf River Wildlife Management Area, Yager Drive just south of Yager Bridge (35.0313889°N, 89.2469444°W). May 2007. Eric P. Johansen and Joshua T. Ream. Verified by A. Floyd Scott. David H. Snyder

Museum of Zoology, Austin Peay State University (APSU 18934). Adult found dead on road. New county record (Thomas et al. 2000. Herpetol. Rev. 31:54).

Submitted by **ERIC PAUL JOHANSEN** (e-mail: ejohansen14@apsu.edu) and **JOSHUA TAYLOR REAM**, Department of Biology and Center of Excellence for Field Biology, Austin Peay State University, Clarksville, Tennessee 37044, USA.

CONOPSIS ACUTA (NCN). MÉXICO: GUERRERO: Municipality of Malinaltepec: Ejido Tres Marías (17.07357°N, 98.41424°W, WGS 84), 2331 m elev. 29 June 2006. Uri García Vázquez and Itzel Durán Fuentes. Verified by Luis Canseco Márquez. Museo de Zoología, Facultad de Ciencias, UNAM (MZFC 20906). First record for Guerrero, extending its known range ca. 83.21 km (airline) E from the closest locality, 3 mi SE of Tlaxiaco, Oaxaca (Goyenechea and Flores-Villela 2006. Zootaxa 1271:1–27). The snake was found under a rock in pine-oak forest.

Submitted by **URI OMAR GARCÍA-VÁZQUEZ** (e-mail: urigarci@gmail.com), **EDMUNDO PÉREZ-RAMOS**, and **ITZEL DURÁN-FUENTES**, Museo de Zoología, Facultad de Ciencias, UNAM, A.P. 70-399, México D.F. 04510, México.

CROTALUS HORRIDUS (Timber Rattlesnake). USA: TEXAS: MONTAGUE Co.: Hwy 677 (33.845°N, 97.489°W), large adult male DOR. 21 May 2008. Jesse M. Meik and Felipe Avila. Verified by Carl Franklin. University of Texas at Arlington Collection of Vertebrates (UTA R-55989). First county record (Werler and Dixon 2001. Texas Snakes: Identification, Distribution, and Natural History. Univ. Texas Press, xv + 437 pp.). *Crotalus horridus* has a fragmented distribution throughout the eastern third of Texas; UTA R-55989 represents the northwestern-most locality for the state. Habitat at the time of collection consisted of a mosaic of rural/agricultural lands and Post Oak (*Quercus stellata*)/Blackjack Oak (*Q. marilandica*) woodlands.

Submitted by **JESSE M. MEIK** (e-mail: jmeik@uta.edu) and **FELIPE AVILA**, Department of Biology, The University of Texas at Arlington, Arlington, Texas 76019, USA.

CROTALUS TRANSVERSUS (Cross-banded Mountain Rattlesnake). MÉXICO: DISTRITO FEDERAL: Delegación Magdalena Contreras, Cerro Panza, Valle del Tezontle (19.13155°N, 99.1782°W; datum WGS 84). 3430 m elev. 20 May 2007. Uri Omar García Vázquez. Museo de Zoología, Facultad de Ciencias, Universidad Nacional Autónoma de México (MZFC 20521). Verified by Oscar Flores Villela. First record for Distrito Federal, extending the known range of the species ca. 21.4 km N from Parque Nacional Lagunas de Zempoala, Huitzilac, Morelos (Campbell and Lamar 2004. Venomous Reptiles of the Western Hemisphere. Cornell Univ. Press, Ithaca, New York. 870 pp.). The specimen was found crawling on a road in pine forest. Field work funded by Manejo de Ecosistemas y Desarrollo Humano, UNAM (SDEI-PTID-02).

Submitted by **URI OMAR GARCÍA-VÁZQUEZ** (e-mail: urigarci@hotmail.com), **ISRAEL SOLANO-ZAVALA**, and **ADRIÁN NIETO-MONTES DE OCA**, Museo de Zoología, Facultad de Ciencias, Universidad Nacional Autónoma de México, A. P. 70-399, México, Distrito Federal 04510, México.